

# carmen

8024.01 - 8024.09



binder

**curtain**

**sheer/transparent**

description

**3-dimensional rib lengthwise with the  
brilliance of melting ice**

composition

**100% flame retardant polyester**

width

**± 59 inches, ± 150 cm**

weight

**± 4 oz/yd<sup>1</sup>, ± 136 gr/m<sup>1</sup> fabrics**

sound absorption

**ASTM C423**

nrc 0.30

**ISO 354**

alphaw 0.50 (pleated)

visual & thermal comfort

**EN 410/EN 14501**

flame retardancy

**EN 13773, class 1**

**BS 5867 - 2, type C**

**NF P 92 / 503 - 507, M1**

**DIN 4102, B1**

**UNI VF 8456 - 8457, classe 1**

**NFPA 701**

**IMO 2010 FTP part 7**

**CAN ULC S109**

colorfastness to crocking

**ISO 105 X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105 B02**

5 (scale 1-8)

**AATCC 16.3: 60 hours**

4 (scale 1-5)

care



**shrinkage: warp -0.3% / weft -0.3%**



**shrinkage: warp -0.6% / weft -0.4%**



STANDARD  
100  
S07-0023  
Hohenstein HTTI



# carmen

8024.01 - 8024.09

---



8024.01



8024.02



8024.03



8024.04



8024.05



8024.06



8024.07



8024.08



8024.09