

# marmara

8025.01 - 8025.24



binder

**curtain**

**sheer/transparent**

description

**mat unpatterned fabric with a glossy reverse side; can be used on both sides**

composition

**100% flame retardant polyester**

width

**± 118 inches, ± 300 cm**

weight

**± 10 oz/yd<sup>1</sup>, ± 312 gr/m<sup>1</sup> fabrics**

sound absorption

**ASTM C423**

nrc 0.30

**ISO 354**

alphaw 0.50 (pleated)

visual & thermal comfort

**EN 410/EN 14501**

flame retardancy

**EN 13773, class 1**

**BS 5867 – 2, type C**

**NF P 92 / 503 – 507, M1**

**DIN 4102, B1**

**UNI VF 8456 – 8457, classe 1**

**NFPA 701**

**IMO 2010 FTP part 7**

**CAN ULC S109**

colorfastness to crocking

**ISO 105 X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105 B02**

5 (scale 1-8)

**AATCC 16.3: 60 hours**

5 (scale 1-5)

care



**shrinkage: warp -0.4% / weft -0.4%**



**shrinkage: warp -0.4% / weft -0.8%**



STANDARD  
100  
S07-0023  
Hohenstein HTTI



Universität Wien  
Institut für Textil- und  
Kleidertechnik  
Technische Universität Wien  
Institutional logo text

# marmara

8025.01 - 8025.24

---



8025.01



8025.02



8025.03



8025.04



8025.05



8025.06



8025.07



8025.08




8025.09



8025.10



8025.11



8025.12



8025.13



8025.14



8025.15



8025.16



8025.17



8025.18



8025.19




8025.20



8025.21



8025.22



8025.23



8025.24