


# formoza

8026.01 - 8026.12



binder  
curtain  
sheer/transparent

description  
fabric in which thicker yarns have been woven that provide structure and volume

composition  
42% recycled polyester FR / 58% polyester FR

width  
± 295 cm, ± 116 inches

weight  
± 392 gr/m<sup>2</sup>, ± 13 oz/yd<sup>2</sup> fabrics

sound absorption  
ISO 354  
alpha 0.80 (pleated)

ASTM C423  
nrc 0.75

visual & thermal comfort  
EN 410/EN 14501

flame retardancy  
EN 13773, class 1  
BS 5867 - 2, type C  
NF P 92 / 503 - 507, M1  
DIN 4102, B1  
UNI VF 8456 - 8457, classe 1  
NFPA 701  
IMO 2010 FTP part 7  
CAN ULC S109

colorfastness to crocking  
ISO 105 X12  
wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8  
wet 5 / dry 5 (scale 1-5)

colorfastness to light  
ISO 105 B02  
5 (scale 1-8)  
AATCC 16.3: 60 hours  
5 (scale 1-5)

seam slippage  
ISO 13936 - 2  
warp 2.5 mm / weft 2 mm

care



shrinkage: warp -0.2% / weft -0.1%



shrinkage: warp -0.7% / weft -0.9%



STANDARD  
100  
S07-0023  
Hohenstein HTTI



# formoza

8026.01 - 8026.12

---




8026.01




8026.02



8026.03



8026.04



8026.05




8026.06



8026.07



8026.08




8026.09



8026.10



8026.11



8026.12