


# formoza

8026.01 - 8026.12



binder  
**curtain**  
**sheer/transparent**

description  
**fabric in which thicker yarns have been woven that provide structure and volume**

composition  
**100% flame retardant polyester**

width  
**± 116 inches, ± 295 cm**

weight  
**± 13 oz/yd<sup>1</sup>, ± 392 gr/m<sup>1</sup> fabrics**

sound absorption  
**ISO 354**  
alphaw 0.80 (pleated)  
**ASTM C423**  
nrc 0.75

visual & thermal comfort  
**EN 410/EN 14501**

flame retardancy  
**EN 13773, class 1**  
**BS 5867 - 2, type C**  
**NF P 92 / 503 - 507, M1**  
**DIN 4102, B1**  
**UNI VF 8456 - 8457, classe 1**  
**NFPA 701**  
**IMO 2010 FTP part 7**  
**CAN ULC S109**

colorfastness to crocking  
**ISO 105 X12**  
wet 4-5 / dry 4-5 (scale 1-5)  
**AATCC 8**  
wet 5 / dry 5 (scale 1-5)

colorfastness to light  
**ISO 105 B02**  
5 (scale 1-8)  
**AATCC 16.3: 60 hours**  
5 (scale 1-5)

seam slippage  
**ISO 13936 - 2**  
warp 2.5 mm / weft 2 mm

care  
  
**shrinkage: warp -0.2% / weft -0.1%**

  
**shrinkage: warp -0.7% / weft -0.9%**



STANDARD  
100  
S07-0023  
Hohenstein HTTI




# formoza

8026.01 - 8026.12

---




8026.01




8026.02



8026.03



8026.04



8026.05




8026.06



8026.07



8026.08




8026.09



8026.10



8026.11



8026.12