


fogo

8051.01 - 8051.16



binder

**curtain
sheer/transparent**

description

semi-transparent with length effect

composition

100% flame retardant polyester

width

± 120 inches, ± 304 cm

weight

± 8 oz/yd¹, ± 237 gr/m¹ fabrics

visual & thermal comfort

EN 410/EN 14501

flame retardancy

EN 13773, class 1

BS 5867 - 2, type C

NF P 92 / 503 - 507, M1

DIN 4102, B1

UNI VF 8456 - 8457, classe 1

IMO 2010 FTP part 7

NFPA 701

CAN ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105 B02

6 (scale 1-8)

AATCC 16.3: 60 hours

5 (scale 1-5)

care



shrinkage: warp -3.1% / weft -0.5%



shrinkage: warp -3.8% / weft -0.8%



STANDARD
100
S07-0023
Hohenstein HTTI



fogo

8051.01 - 8051.16



8051.01



8051.02




8051.03




8051.04



8051.05



8051.06



8051.07



8051.08




8051.09




8051.10




8051.11



8051.12



8051.13



8051.14



8051.15



8051.16