


mioko

8057.01 - 8057.33



collection
curtain

description
unpatterned satin

composition
100% flame retardant polyester

width
± 56 inches, ± 140 cm

weight
± 12 oz/yd¹, ± 413 gr/m¹ fabrics

visual & thermal comfort
EN 410/EN 14501

flame retardancy
EN 13773, class 1
BS 5867-2, type C
NF P 92/503-507, M1
DIN 4102, B1
UNI VF 8456-8457, classe 1
IMO 2010 FTP part 7
NFPA 701
CAN ULC S109

colorfastness to crocking
ISO 105-X12
wet 5 / dry 5 (scale 1-5)
AATCC 8
wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105-B02

6-7 (scale 1-8)

AATCC 16.3: 60 hours

5 (scale 1-5)

seam slippage

ASTM D434

warp 45.5 lbs / weft 40.5 lbs

care



shrinkage: warp: -1% / weft: -0,4%



shrinkage: warp: -1,7% / weft: -0,6%




STANDARD
100
S07-0023
Hohenstein HTTI



mioko

8057.01 - 8057.33



8057.01




8057.02



8057.03



8057.04




8057.05




8057.06



8057.07



8057.08



8057.09



8057.10



8057.11




8057.12



8057.13



8057.14



8057.15



8057.16



8057.17




8057.18



8057.19




8057.20



8057.21



8057.22



8057.23



8057.24




8057.25



8057.26



8057.27



8057.28




8057.29



8057.30



8057.31



8057.32



8057.33