


# mioko

8057.01 - 8057.33



binder  
curtain

## 描述

unpatterned satin

## 组成

100% 阻燃聚酯纤维

## 宽度

± 140 cm, ± 56 inches

## 重量

± 413 gr/m<sup>2</sup>, ± 12 oz/yd<sup>2</sup> fabrics

## 温度及视觉舒适度

EN 410/EN 14501

## 阻燃

EN 13773, class 1

BS 5867-2, type C

NF P 92/503-507, M1

DIN 4102, B1

UNI VF 8456-8457, classe 1

IMO 2010 FTP part 7

NFPA 701

CAN ULC S109

## 耐擦拭

ISO 105—X12

湿 5 / 干 5 (由 1—5)

AATCC 8

湿 5 / 干 5 (由 1—5)

## 耐褪色

ISO 105—B02

6-7 (scale 1-8)

AATCC 16,3: 60 hours

5 (由 1-5)

## 耐滑缝

ASTM D434

warp 45,5 lbs / weft 40,5 lbs



收缩□ : 纵向收缩比: -1% / 横向收缩比: -0,4%



收缩□ : 纵向收缩比: -1,7% / 横向收缩比: -0,6%



STANDARD  
100  
S07-0023  
Hohenstein HTTI




Text below the logo, likely identifying the certifying institution.

# mioko

8057.01 - 8057.33

---



8057.01




8057.02



8057.03



8057.04




8057.05




8057.06



8057.07



8057.08




8057.09



8057.10



8057.11




8057.12



8057.13



8057.14



8057.15



8057.16



8057.17




8057.18



8057.19




8057.20



8057.21



8057.22



8057.23



8057.24




8057.25



8057.26



8057.27



8057.28




8057.29



8057.30



8057.31



8057.32



8057.33