


# corsica

8055.01 - 8055.12



binder  
curtain  
sheer/transparent

description  
linen look, half transparent acoustic curtain fabric

composition  
100% flame retardant polyester

width  
± 120 inches, ± 305 cm

weight  
± 10 oz/yd<sup>1</sup>, ± 323 gr/m<sup>1</sup> fabrics

sound absorption  
ISO 354  
alphaw 0.65 (pleated)  
ASTM C423  
nrc 0.65

visual & thermal comfort  
EN 410/EN 14501

flame retardancy  
EN 13773, class 1  
BS 5867 - 2, type C  
NF P 92 / 503 - 507, M1  
DIN 4102, B1  
UNI VF 8456 - 8457, classe 1  
NFPA 701  
CAN ULC S109

colorfastness to crocking  
ISO 105 X12  
wet 4-5 / dry 4-5 (scale 1-5)  
AATCC 8  
wet 5 / dry 5 (scale 1-5)

colorfastness to light  
ISO 105 B02  
6 (scale 1-8)  
AATCC 16.3: 60 hours  
5 (scale 1-5)

care



shrinkage: warp -0.5% / weft -0.7%



shrinkage: warp -0.7% / weft -1%



STANDARD  
100

S07-0023  
Hohenstein HTI



Produkt ist  
gemäß Oeko-Tex  
Standard 100  
geprüft und  
entspricht  
den Anforderungen  
an Schadstoffgehalt

# **corsica**

8055.01 - 8055.12

---



8055.01



8055.02



8055.03



8055.04



8055.05



8055.06



8055.07



8055.08




8055.09



8055.10



8055.11



8055.12