


# capri

8056.01 - 8056.12



binder  
curtain  
sheer/transparent

descripción  
telas para cortinas acústicas, lisas,  
semitransparentes

composición  
100% poliéster ignífugo

ancho  
± 306 cm, ± 120 inches

peso  
± 303 gr/m<sup>1</sup>, ± 10 oz/yd<sup>1</sup> fabrics

absorción del ruido  
ISO 354  
alphaw 0.65 (pleated)  
ASTM C423  
nrc 0.70

confort visual & térmico  
EN 410/EN 14501

combustión retardada  
EN 13773, class 1  
BS 5867 - 2, type C  
NF P 92 / 503 - 507, M1  
DIN 4102, B1  
UNI VF 8456 - 8457, classe 1  
NFPA 701  
CAN ULC S109

resistencia al frotamiento  
ISO 105 X12  
mojado 4-5 / seco 4-5 (escala 1-5)  
AATCC 8  
mojado 5 / seco 5 (escala 1-5)

insensibilidad a la luz  
ISO 105 B02  
6 (escala 1-8)  
AATCC 16.3: 60 hours  
4-5 (escala 1-5)

mantenimiento



carencia: lizo 0% / trama -0.6%



carencia: lizo -0.6% / trama -1.2%



STANDARD  
100

S07-0023  
Hohenstein HTI



# capri

8056.01 - 8056.12

---



8056.01



8056.02



8056.03



8056.04



8056.05



8056.06



8056.07



8056.08




8056.09



8056.10



8056.11



8056.12