

# capri

8056.01 - 8056.12



binder

**curtain**

**sheer/transparent**

description

**unpatterned, uni half transparent acoustic curtain fabric**

composition

**100% flame retardant polyester**

width

**± 120 inches, ± 306 cm**

weight

**± 10 oz/yd<sup>1</sup>, ± 303 gr/m<sup>1</sup> fabrics**

sound absorption

**ISO 354**

alphaw 0.65 (pleated)

**ASTM C423**

nrc 0.70

visual & thermal comfort

**EN 410/EN 14501**

flame retardancy

**EN 13773, class 1**

**BS 5867 - 2, type C**

**NF P 92 / 503 - 507, M1**

**DIN 4102, B1**

**UNI VF 8456 - 8457, classe 1**

**NFPA 701**

**CAN ULC S109**

colorfastness to crocking

**ISO 105 X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105 B02**

6 (scale 1-8)

**AATCC 16.3: 60 hours**

4-5 (scale 1-5)

care



**shrinkage: warp 0% / weft -0.6%**



**shrinkage: warp -0.6% / weft -1.2%**



STANDARD  
100  
S07-0023  
Hohenstein HTI



# capri

8056.01 - 8056.12

---



8056.01



8056.02



8056.03



8056.04



8056.05



8056.06




8056.07



8056.08



8056.09



8056.10



8056.11



8056.12