


bedra

8059.01 - 8059.33



binder
curtain

description
unpatterned curtain fabric, dim out

composition
100% flame retardant polyester

width
± 295 cm, ± 116 inches

weight
± 782 gr/m¹, ± 25 oz/yd¹ fabrics

sound absorption
ISO 354
alphaw 0.70

visual & thermal comfort
EN 410/EN 14501
AATCC 148

flame retardancy
EN 13773, class 1
BS 5867 - 2, type C
NF P 92 / 503 - 507, M1
DIN 4102, B1
UNI VF 8456 - 8457, classe 1
NFPA 701
CAN / ULC S109
IMO 2010 FTP part 7

colorfastness to crocking
ISO 105-X12
wet 5 / dry 5 (scale 1-5)
AATCC 8
wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105-B02
6 (scale 1-8)
AATCC 16.3: 60 hours
4-5 (scale 1-5)

seam slippage
ASTM D434
warp 43.5 lbs / weft 48 lbs

care



shrinkage: warp -0.4% / weft -1.4%



shrinkage: warp -2.5% / weft -1.5%



STANDARD
100
S07-0023
Hohenstein HTTI



bedra

8059.01 - 8059.33

