


moroni

8060.01 - 8060.29



binder
curtain

description
fine-weave, uni curtain fabric in black-out design

composition
100% fire retarding polyester with acrylic backing

width
± 110 inches, ± 280 cm

weight
± 23 oz/yd¹, ± 700 gr/m¹ fabrics

visual & thermal comfort
**EN 410/EN 14501
AATCC 148**

flame retardancy
**EN 13773, class 1
BS 5867-2, type B
NF P 92/503-507, M1
DIN 4102, B1
UNI VF 8456-8457, classe 1
NFPA 701
CAN / ULC S109
IMO 2010 FTP part 7**

colorfastness to crocking
ISO 105-X12
wet 4 / dry 4 (scale 1-5)
AATCC 8
wet 4.5 / dry 4.5 (scale 1-5)

colorfastness to light

ISO 105-B02
5-6 (scale 1-8)
AATCC 16.3: 60 hours
3.5 (scale 1-5)

seam slippage
ASTM D434
warp 66 lbs / weft 47 lbs

care



shrinkage: warp -1.6% / weft -0.6%



moroni

8060.01 - 8060.29



8060.01



8060.02



8060.03



8060.04




8060.05



8060.06



8060.07



8060.08



8060.09



8060.10



8060.11



8060.12



8060.13



8060.14



8060.15



8060.16



8060.17




8060.18



8060.19



8060.20



8060.21



8060.22



8060.23



8060.24



8060.25



8060.26



8060.27



8060.28



8060.29