


tinós

8078.01 - 8078.16



binder
curtain
sheer/transparent

description
semi-transparent, acoustic curtain fabric with
a natural matt look

composition
100% flame retardant polyester

width
± 154 cm, ± 61 inches

weight
± 153 gr/m², ± 5 oz/yd² fabrics

sound absorption
ISO 354
alpha_w 0.60 (pleated)
ASTM C423
nrc 0.6

visual & thermal comfort
EN 410/EN 14501

flame retardancy
EN 13773, class 1
BS 5867-2, type C
NF P 92 / 503 - 507, M1
DIN 4102, B1
UNI VF 8456-8457, classe 1
IMO 2010 FTP part 7
NFPA 701
CAN/ULC S109

colorfastness to crocking
ISO 105 X12
wet 4-5 / dry 4-5 (scale 1-5)
AATCC 8
wet 5 / dry 4.5 (scale 1-5)

colorfastness to light
ISO 105 B02
6 (scale 1-8)
AATCC 16.3: 60 hours
4.5 (scale 1-5)

care



shrinkage: warp -0.4% / weft -0.9%



STANDARD
100
S07-0023
Hohenstein HTTI



Text below the logo, likely identifying the institution or certification body.

tinós

8078.01 - 8078.16



8078.01



8078.02



8078.03



8078.04



8078.05



8078.06



8078.07



8078.08



8078.09



8078.10



8078.11



8078.12



8078.13



8078.14



8078.15



8078.16