


tinós

8078.01 - 8078.16



binder

curtain

sheer/transparent

description

semi-transparent, acoustic curtain fabric with a natural matte look

composition

100% flame retardant polyester

width

± 61 inches, ± 154 cm

weight

± 5 oz/yd¹, ± 153 gr/m¹ fabrics

sound absorption

ISO 354

alphaw 0.60 (pleated)

ASTM C423

nrc 0.6

visual & thermal comfort

EN 410/EN 14501

flame retardancy

EN 13773, class 1

BS 5867-2, type C

NF P 92 / 503 - 507, M1

DIN 4102, B1

UNI VF 8456-8457, classe 1

IMO 2010 FTP part 7

NFPA 701

CAN/ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 4.5 (scale 1-5)

colorfastness to light

ISO 105 B02

6 (scale 1-8)

AATCC 16.3: 60 hours

4.5 (scale 1-5)

care



shrinkage: warp -0.4% / weft -0.9%




STANDARD
100
S07-0023
Hohenstein HTTI



tinós

8078.01 - 8078.16



8078.01



8078.02



8078.03



8078.04



8078.05



8078.06



8078.07



8078.08



8078.09



8078.10



8078.11



8078.12



8078.13



8078.14



8078.15



8078.16