

# ellis

8079.01 - 8079.13



binder  
curtain

#### 描述

纹理柔软，纱线染色混纺出无方向双色调效果

#### 组成

100% 阻燃聚酯纤维

#### 宽度

± 300 cm, ± 118 inches

#### 重量

± 795 gr/m<sup>2</sup>, ± 26 oz/yd<sup>2</sup> fabrics

#### 吸声系数

ISO 354

alphaw 0,80 (pleated)

#### 温度及视觉舒适度

EN 410/EN 14501

#### 阻燃

EN 13773, class 1

BS 5867-2, type C

NF P 92/503-507, M1

DIN 4102, B1

UNI VF 8456-8457, classe 1

IMO 2010 FTP part 7

NFPA 701

CAN/ULC S109

#### 耐擦拭

ISO 105-X12

湿 4-5 / 干 4-5 (由 1-5)

AATCC 8

湿 5 / 干 5 (由 1-5)

#### 耐褪色

ISO 105-B02

6 (由 1-8)

AATCC 16,3: 60 hours

4.5 (由 1-5)

#### 耐滑缝

ISO 13936-2

warp 3,3 mm / weft 3,3 mm

ASTM D434

warp 47 lbs / weft 47 lbs



收缩□ : 纵向收缩比: -2% / 横向收缩比: -2.9%



STANDARD  
100  
S07-0023  
Hohenstein HTTI




# ellis

8079.01 - 8079.13

---




8079.01



8079.02




8079.03




8079.04




8079.05



8079.06




8079.07



8079.08




8079.09




8079.10



8079.11



8079.12



8079.13