

malta

7037.01 - 7037.21



binder

upholstery

vinyl

描述

深色底色上的光点

组成

发泡PVC,加棉或涤底

宽度

± 137-140 cm, ± 54-55 inches

重量

底层: ± 110 gr/m², ± 5 oz/yd¹

涂层: ± 690 gr/m², ± 31 oz/yd¹

厚度

1,1 mm, 0,04 inches

阻燃

EN 1021/1—2

BS 5852, crib 5

NF P 92/503 — 507, M2

NF D60—013 (AM 18)

DIN 4102, B2

UNI 9175, classe 1 IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

耐磨性

ISO 12947—2

> 300,000 rubs martindale

ASTM D4157

100,000 double rubs wyzenbeek

耐擦拭

ISO 105—X12

wet 5 / dry 5 (scale 1—5)

AATCC 8

wet 5 / dry 5 (scale 1—5)

耐褪色

ISO 105—B02

7 (scale 1—8)

ASTM D4329: 150 hours

4 (scale 1—5)

耐血液，尿液，汗液和皮肤脂肪

EN 12720

5 (scale 1—5)

屈伸强度

ISO 1421

length 470 N / width 313 N

ASTM D2261

length 7.3 lbs / width 9.2 lbs

灵活性

ISO 7854

400,000 cycles

涂层粘结力

ASTM D751


length 8.3 lbf / width 5.2 lbf




vinyl 
COMMITTED TO
SUSTAINABLE DEVELOPMENT

malta

7037.01 - 7037.21




7037.01




7037.02



7037.03




7037.04




7037.05



7037.06



7037.07



7037.08



7037.09



7037.10




7037.11



7037.12




7037.13




7037.14



7037.15




7037.16



7037.17




7037.18



7037.19



7037.20



7037.21