

jemo

7044.01 - 7044.21



系列

upholstery
vinyl

描述

近似细密织物的外观和肌理

组成

发泡PVC,加棉或涂底

宽度

± 137-140 cm, ± 54-55 inches

重量

底层: ± 110 gr/m², ± 5 oz/yd¹
涂层: ± 690 gr/m², ± 31 oz/yd¹

厚度

1,1 mm, 0,04 inches

阻燃

EN 1021/1—2
BS 5852, crib 5
NF P 92/503 — 507, M2
NF D60—013 (AM 18)
DIN 4102, B2
UNI 9175, classe 1 IM
Cal TB 117
NFPA 260, class 1
IMO 2010 FTP part 8

耐磨性

ISO 12947—2
> 300,000 rubs martindale
ASTM D4157
100,000 double rubs wyzenbeek

耐擦拭

ISO 105—X12
wet 5 / dry 5 (scale 1—5)
AATCC 8
wet 5 / dry 5 (scale 1—5)

耐褪色

ISO 105—B02
7 (scale 1—8)
ASTM D4329: 150 hours
4 (scale 1—5)

耐血液，尿液，汗液和皮肤脂肪

EN 12720
5 (scale 1—5)

屈伸强度

ISO 1421
length 470 N / width 313 N
ASTM D2261
length 7.3 lbs / width 9.2 lbs

灵活性

ISO 7854
400,000 cycles

涂层粘结力


ASTM D751
length 8.3 lbf / width 5.2 lbf




vinyl 
COMMITTED TO
SUSTAINABLE DEVELOPMENT

jemo


7044.01 - 7044.21




7044.01




7044.02




7044.03




7044.04




7044.05




7044.06




7044.07




7044.08



7044.09




7044.10




7044.11




7044.12




7044.13




7044.14



7044.15




7044.16




7044.17




7044.18



7044.19



7044.20



7044.21