


# noSS

7058.01 - 7058.24



binder

**upholstery**

descripción

**chenilla tejida, mezcla en colores suaves**

composición

**100% poliéster ignífugo**

ancho

**± 140 cm, ± 55 inches**

peso

**± 904 gr/m<sup>1</sup>, ± 29 oz/yd<sup>1</sup> fabrics**

combustión retardada

**EN 1021/ 1-2**

**BS 5852, crib 5**

**NF P 92 / 503 - 507, M1**

**DIN 4102, B1**

**UNI 9175, classe 1 IM**

**Cal TB 117**

**NFPA 260, class 1**

**IMO 2010 FTP part 8**

resistencia al desgaste

**ISO 12947-2**

70.000 rubs martindale

**ASTM D4157**

90.000 double rubs wyzenbeek

pilling

**ISO 12945-2**

4 (escala 1-5)

**ASTM D3511**

5 (escala 1-5)

resistencia al frotamiento

**ISO 105-X12**

mojado 4 - 5 / seco 4 - 5 (escala 1-5)

**AATCC 8**

mojado 5 / seco 5 (escala 1-5)

insensibilidad a la luz

**ISO 105-B02**

6 - 7 (escala 1-8)

**AATCC 16.3: 40 hours**

5 (escala 1-5)

resistencia al deslizamiento de costuras

**ISO 13936 - 2**

lizo 3.3 mm / trama 3 mm

**ASTM D4034**

lizo 77 lbs / trama 91 lbs

resistencia a la tensión

**ASTM D5034**

warp 524 lbs / weft 337 lbs

mantenimiento



**carencia: lizo -1.5% / trama -1.7%**



**carencia: lizo -1.6% / trama -3%**



STANDARD  
100

S07-0023  
Hohenstein HTTI

# noss

7058.01 - 7058.24

---



7058.01



7058.02



7058.03



7058.04



7058.05



7058.06




7058.07



7058.08




7058.09



7058.10



7058.11



7058.12



7058.13



7058.14



7058.15



7058.16



7058.17



7058.18



7058.19



7058.20



7058.21



7058.22



7058.23



7058.24