


# leone plus

7054.01 - 7054.26



binder

**upholstery  
vinyl**

omschrijving  
**uni leernerf**

samenstelling  
**geschuimde vinyl, katoen/polyester backing**

breedte  
**± 137-140 cm, ± 54-55 inches**

gewicht  
**backing: ± 110 gr/m<sup>2</sup>, ± 5 oz/yd<sup>1</sup>  
coating: ± 690 gr/m<sup>2</sup>, ± 31 oz/yd<sup>1</sup>**

dikte  
**1.1 mm, 0.04 inches**

brandwerendheid  
**EN 1021/1-2  
BS 5852, crib 5  
NF P 92/503 - 507, M2  
NF D60-013 (AM 18)  
DIN 4102, B2  
UNI 9175, classe 1 IM  
Cal TB 117  
NFPA 260, class 1  
IMO 2010 FTP part 8**

slijtvastheid  
**ISO 12947-2**  
> 300.000 rubs martindale  
**ASTM D4157**  
100.000 double rubs wyzenbeek

wrijftechtheid

**ISO 105-X12**  
wet 5 / dry 5 (scale 1-5)  
**AATCC 8**  
wet 5 / dry 5 (scale 1-5)

lichtechtheid  
**ISO 105-B02**  
7 (scale 1-8)  
**ASTM D4329: 150 hours**  
4 (scale 1-5)

weerstand tegen bloed, urine, zweet en huidvet  
**EN 12720**  
5 (scale 1-5)

treksterkte  
**ISO 1421**  
length 470 N / width 313 N  
**ASTM D2261**  
length 7.3 lbs / width 9.2 lbs

knikbestendigheid  
**ISO 7854**  
400.000 cycles

hechting aan coating  
**ASTM D751**  
length 8.3 lbf / width 5.2 lbf



**vinyl**   
COMMITTED TO  
SUSTAINABLE DEVELOPMENT

# leone plus

7054.01 - 7054.26


---




7054.01



7054.02



7054.03



7054.04



7054.05



7054.06




7054.07



7054.08



7054.09



7054.10




7054.11



7054.12




7054.13



7054.14



7054.15



7054.16



7054.17



7054.18



7054.19



7054.20



7054.21



7054.22




7054.23



7054.24



7054.25



7054.26